

Stephen-II-PC

Computer

ACPI x64-based PC

Disk drives

Intel Raid 1 Volume SCSI Disk Device

SAMSUNG MZHPUS12HC GL-00000 ATA Device

Display adapters

NVIDIA GeForce GTX 980

NVIDIA GeForce GTX 980

DVD/CD-ROM drives

HL-DT-ST BD-RE WH14N:S40 ATA Device

Human Interface Devices

USB Input Device

IDE ATA/ATAPI controllers

ATA Channel 0

ATA Channel 1

Intel(R) C610 series/X99 chipset sSATA AHCI Controller 1 - 8062

Standard AHCI 1.0 Serial ATA Controller

Imaging devices

Brother MFC-8710DW LAN

WSD Scan Device

Keyboards

Standard PS/2 Keyboard

Mice and other pointing devices

HID-compliant mouse

Monitors

Generic PnP Monitor

Network adapters

Belkin USB Wireless Adaptor

Intel(R) Ethernet Connection (2) 1218-V

Killer e2200 Gigabit Ethernet Controller (NDIS 6.30)

Microsoft ISATAP Adapter #5

Microsoft ISATAP Adapter #6

Microsoft ISATAP Adapter #8

RAS Async Adapter

Teredo Tunneling Pseudo-Interface

WAN Miniport (IKEv2)

WAN Miniport (PPPoE)

WAN Miniport (IPv6)

WAN Miniport (L2TP)

Wan Miniport (Network Monitor)

Wan Miniport (PPPOE)

Wan Miniport (PPTP)

WAN Miniport (SSTP)

Network Infrastructure Devices

Microsoft WirelessRouter Module

Non-Plug and Play Drivers

Ancillary Function Driver for Winsock

AsrAppCharger

AsrAutoChkUpdDrv

AsrDrvIOI

Beep

BHOM64

Bitlocker Drive Encryption Filter Driver

cFosSpeed for faster Internet connections

(NDIS6)

CNG

Common Log (CLFS)

Disk Virtual Machine Bus Acceleration Filter Driver

Dynamic Volume Manager

EraserUtilRebootDrv

Hardware Policy Driver

HTTP

IDE Channel

IDSVia64

Intel RAID Controller Windows 7

Kernel Mode Driver Frameworks service

KSecDD

KSecPkg

LDDM GraphicsSubsystem

Llink Layer Topology Discovery Mapper I/O
Driver

Link Layer Topology Discovery Responder

Mount Point Manager

msisadrv

NativeWiFi Filter

NAVENG

NAVEX15

NDIS System Driver

NDIS Usermode VO Protocol

NDProxy

NETBT

NetIO Legacy TDI Support Driver

NIS Settings Manager

NSI proxy service driver.

Null

NvStreamKms

Offline Files Driver

PEAUTH

Performance Counters for Windows Driver

QoS Packet Scheduler

Qualcomm Atheros Bandwidth Control

RDP Encoder Mirror Driver

RDP Winstation Driver

RDPCDD

!Reflector Display Driver used to gain access to graphics data

RemoteAccess1Pv6 ARP Driver

Remote Desktop Services Security Filter Driver

Security Driver

Security Processor Loader Driver

Storage volumes

Symantec Data Store

Symantec Eraser Control driver

symantec Iron Driver

Symantec Network Security WFP Driver

Symantec Real TimeStorage Protection (PEL) x64

SymEvent

System Attribute Cache

TCP/IP Protocol Driver

TCP/IP Registry Compatibility

TDTCP

Terminal Server Device Redirector Driver

User Mode Driver Frameworks Platform Driver

VgaSave

Virtual WiFi Filter Driver

WFP Lightweight Filter

Windows Firewall Authorization Driver

Ports (COM & LPT)

Communications Port (COM1)

Processors

Inteli(R) Core(TM) i7-5960X CPU @ 3.00GHz

Inteli(R) Core(TM) i7-5960X CPU @ 3.00GHz

Inteli(R) Core(TM) i7-5960X CPU @ 3.00GHz

Inteli(R) Core(TM) i7-5960X CPU @ 3.00GHz

Intei(R) Core(TM) i7-5960X CPU @ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU@ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU@ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU @ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU@ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU@ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU@ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU @ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU@ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU@ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU@ 3.00GHz
Intei(R) Core(TM) i7-5960X CPU @ 3.00GHz

Sound, video and game controllers.

NVIDIA High Definition Audio
NVIDIA High Definition Audio
NVIDIA Virtual Audio Device (Wave Extensible)(WDM)
Realtek High Definition Audio

Storage controllers

ASRock RAM Disk
Intel(R) Desktop/Workstation/Server Express Chipset SATA RAID Controller

Storage volume shadow copies

Genericvolume shadow copy
Genericvolume shadow copy
Genericvolume shadow copy
Genericvolume shadow copy
Genericvolume shadow copy
Genericvolume shadow copy

Storage Volumes

Generic volume
Generic volume
Generic volume
Generic volume

System devices

ACPI Fixed Feature Button
ACPI Module Device
ACPI Module Device
ACPI Module Device
ACPI Module Device
ACPI Power Button

Advanced programmable interrupt controller

Brother MFC-8710DW [00809288de78]

Composite Bus Enumerator

Direct memory access controller

File as Volume Driver

High Definition Audio Controller

High Definition Audio Controller

High Definition Audio Controller

High precision event timer

Intel(R) C610 series/X99 chipset LPC Controller- 8047

Intel(R) C610 series/X99 chipset PCIe Express Root Port #1 - 8010

Intel(R) C610 series/X99 chipset PCIe Express Root Port #3 - 8014

Intel(R) C610 series/X99 chipset PCIe Express Root Port #5 - 8018

Intel(R) C610 series/X99 chipset SMBus Controller- 8022

Intel(R) C610 series/X99 chipset SPSR- 8D7C

Intel(R) Xeon(R) E5 v3/Core i7 Address Map, VTd_Misc, System Management- 2F28

Intel(R) Xeon(R) E5 v3/Core i7 Buffered Ring Agent- 2FF8

Intel(R) Xeon(R) E5 v3/Core i7 Buffered Ring Agent- 2FF9

Intel(R) Xeon(R) E5 v3/Core i7 DORIO (VMSE) 0 & 1 - 2FBE

Intel(R) Xeon(R) E5 v3/Core i7 DORIO (VMSE) 0 & 1 - 2FBF

Intel(R) Xeon(R) E5 v3/Core i7 DORIO (VMSE) 2 & 3 - 2F88

Intel(R) Xeon(R) E5 v3/Core i7 DORIO (VMSE) 2 & 3 - 2FB9

Intel(R) Xeon(R) E5 v3/Core i7 DORIO (VMSE) 2 & 3 - 2FBA

Intel(R) Xeon(R) E5 v3/Core i7 DORIO (VMSE) / & 3 - 1FBB

Intel(R) Xeon(R) E5 v3/Core i7 DORIO Channel 0/1 Broadcast- 2FAE

Intel(R) Xeon(R) E5 v3/Core i7 DORIO Channel 1/3 Broadcast- 2F6E

Intel(R) Xeon(R) E5 v3/Core i7 DORIO Global Broadcast- 2F6F

Intel(R) Xeon(R) E5 v3/Core i7 DORIO Global Broadcast- 2FAF

Intel(R) Xeon(R) E5 v3/Core i7 DMI2- 2F00

Intel(R) Xeon(R) E5 v3/Core i7 Home Agent 0 - 2F30

Intel(R) Xeon(R) E5 v3/Core i7 Home Agent 0 - 2FA0

Intel(R) Xeon(R) E5 v3/Core i7 Hot Plug - 2F29

Intel(R) Xeon(R) E5 v3/Core i7 I/O APIC- 2F2C

Intel(R) Xeon(R) E5 v3/Core i7 Integrated Memory Controller Channel 2 ERROR Registers- 2FB6

Intel(R) Xeon(R) E5 v3/Core i7 Integrated Memory Controller Channel 3 ERROR Registers- 2FB7

Intei(R) Xeon(R) E5 v3/Core i7Integrated Memory Controller0 Channel 0 Thermal Control - 2FB0

Intei(R) Xeon(R) E5 v3/Core i7Integrated Memory Controller0 Channel 1 Thermal Control- 2FB1

Intei(R) Xeon(R) E5 v3/Core i7Integrated Memory Controller0 Channel Target Address Decoder- 2FAA

Intei(R) Xeon(R) E5 v3/Core i7Integrated Memory Controller0 Channel 0 ERROR Registers- 2FB2

Intei(R) Xeon(R) E5 v3/Core i7Integrated Memory Controller0 Channel Target Address Decoder- 2FAB

Intei(R) Xeon(R) E5 v3/Core i7Integrated Memory Controller0 Channel1 ERROR Registers- 2FB3

Intei(R) Xeon(R) E5 v3/Core i7Integrated Memory Controller0 Channel Target Address Decoder- 2FAC

Intei(R) Xeon(R) E5 v3/Core i7Integrated Memory Controller0 Channel1 Thermal Control - 2F84

Intei(R) Xeon(R) E5 v3/Core i7Integrated Memory Controller0 Channel Target Address Decoder- 2FAD

Intei(R) Xeon(R) E5 v3/Core i7 Integrated Memory Controller 0 Channel 3 Thermal Control - 2FBS

Intei(R) Xeon(R) E5 v3/Core i7 Integrated Memory Controller 0 Target Address, Thermal & RAS Registers- 2F71

Intei(R) Xeon(R) E5 v3/Core i7 Integrated Memory Controller 0 Target Address, Thermal & RAS Registers- 2FA8

Intei(R) Xeon(R) E5 v3/Core i7 Integrated Memory Controller 1 Channel 0 Thermal Control - 2FD0

Intei(R) Xeon(R) E5 v3/Core i7 Integrated Memory Controller 1 Target Address, Thermal & RAS Registers- 2F68

Intei(R) Xeon(R) E5 v3/Core i7 PCIe Express Root Port 2 - 2F04

Intei(R) Xeon(R) E5 v3/Core i7 PCIe Express Root Port 3 - 2F08

Intei(R) Xeon(R) E5 v3/Core i7 PCIe Ring Interface- 2F1D

Intei(R) Xeon(R) E5 v3/Core i7 PCIe Ring Interface- 2F34

Intei(R) Xeon(R) E5 v3/Core i7 Power Control Unit- 2F98

Intei(R) Xeon(R) E5 v3/Core i7 Power Control Unit- 2F99

Intei(R) Xeon(R) E5 v3/Core i7 Power Control Unit- 2F9A

Intei(R) Xeon(R) E5 v3/Core i7 Power Control Unit- 2F9C

Intei(R) Xeon(R) E5 v3/Core i7 Power Control Unit- 2FC0

Intei(R) Xeon(R) E5 v3/Core i7 R3 QPI Link 0 & 1 Monitoring - 2F81

Intei(R) Xeon(R) E5 v3/Core i7 R3 QPI Link 0 & 1 Monitoring - 2F36

Intei(R) Xeon(R) E5 v3/Core i7 R3 QPI Link 0 & 1 Monitoring - 2F37

Intei(R) Xeon(R) E5 v3/Core i7 RAS, Control Status and Global Errors- 2F2A

Intei(R) Xeon(R) E5 v3/Core i7 Scratchpad & Semaphore Registers- 2F7D

Intei(R) Xeon(R) E5 v3/Core i7 Scratchpad & Semaphore Registers- 2F1E

Intei(R) Xeon(R) E5 v3/Core i7 Scratchpad & Semaphore Registers-

2F1F

Intei(R) Xeon(R) E5 v3/Core i7 System Address Decoder & Broadcast
Registers-2FFC

Intei(R) Xeon(R) E5 v3/Core i7 System Address Decoder & Broadcast
Registers-2FFD

Intei(R) Xeon(R) E5 v3/Core i7 System Address Decoder & Broadcast
Registers- 2FFE

Intei(R) Xeon(R) E5 v3/Core i7 Unicast Registers - 2FE0

Intei(R) Xeon(R) E5 v3/Core i7 Unicast Registers-
2FE1

Intei(R) Xeon(R) E5 v3/Core i7 Unicast Registers-
2FE2

Intei(R) Xeon(R) E5 v3/Core i7 Unicast Registers-
2FE.3

Intei(R) Xeon(R) E5 v3/Core i7 Unicast Registers-
2FE4

Intei(R) Xeon(R) E5 v3/Core i7 Unicast Registers-
2FE5

Intei(R) Xeon(R) E5 v3/Core i7 Unicast Registers-
2FE6

Intei(R) Xeon(R) E5 v3/Core i7 Unicast Registers-
2FE7

Intei(R) Xeon(R) E5 v3/Core i7 VCU- 2F88

Intei(R) Xeon(R) E5 v3/Core i7 VCU -
2F8A

IPBusEnum Root Enumerator
LinksysEA6500

Microsoft ACPI-Compliant
System

Microsoft System Management BIOS
Driver

Microsoft Virtual Drive Enumerator
Driver

Microsoft Windows Management Interface for
ACPI

Microsoft Windows Management Interfacefor
ACPI

Microsoft Windows Manaqement Interfacefor
ACPI

Motherboard
resources
Motherboard
Resources
Numeric data processor
PCIbus
PCIbus
Plug and Play Software Device
Enumerator
Programmable interrupt
Controller
Remote Desktop Device Redirector Bus
System CMOS/real time clock
System speaker
System timer
Terminal Server Keyboard Driver.
Terminal Server Mouse Driver
UMBus Enumerator
UMBus Root Bus Enumerator
Volume Manager

Universal Serial Bus controllers

Generic USB Hub
Generic USB Hub
Intei(R) C610 series/X99 chipset USB Enhanced Host Controller #1-
8D26
Intei(R) C610 series/X99 chipset USB Enhanced Host Controller #2 -
8D2D
Intei(R) USB 3.0 eXtensible Host Controller
Intei(R) USB 3.0 Root Hub
USB 2.0 MTT Hub
USB 2.0 MTT Hub
USB 3.0 Hub

USB 3.0 Hub
USB Root Hub
USB Root Hub

WSD Print Provider

WSD Print
Device